Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	44	"4858601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:17
L5	20	"4959064"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:17
L6	48	"5370646"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:18
L7	15	"6004327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:18
L8	9	"6579293"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:19
L9	9	"6582453"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:19
L10	9	"6582453"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:19
L11	10	"6585730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:20
L12	. 8	"6585740"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:20
L13	11	"6589249"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:20

L14	8	"6599297"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 16:20
X	509	606/65-68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 15:21
54	431	S2 and (anchor or screw or pin or fastener or bolt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 16:08
*	3169	606/65-68.ccls. or 606/72-73.ccls. or 606/80.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND .	ON	2006/01/09 15:45
*	2830	S5 and (anchor or screw or pin or fastener or bolt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 14:22
*	2632	S6 and (tool or device or instrument or drill or reamer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 15:23
S8	379	S4 and (tool or device or instrument or drill or reamer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 15:24
	1875	606/72-73.ccls. and (anchor or screw or pin or fastener or bolt) and (tool or device or instrument or drill or reamer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 15:46
srø	516	606/80.ccls. and (anchor or screw or pin or fastener or bolt) and (tool or device or instrument or drill or reamer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 15:49
S11	415	606/80.ccls. and (anchor or screw or pin or fastener or bolt) and (tool or device or instrument or drill or reamer) and (fracture or cut or break or broken) and bone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 15:51

	<u> </u>		T	· · · · · · · · · · · · · · · · · · ·		
S12	432	S9 and (fracture\$2 or cut or break or broken) and bone and (thigh or hip or femur)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 14:23
S13	225	606/80.ccls. and (anchor or screw or pin or fastener or bolt) and (tool or device or instrument or drill or reamer) and (fracture\$2 or cut or break or broken) and bone and (thigh or hip or femur)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/09 16:02
S14	7	"6632224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 11:48
S15	2	"20040010257"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 14:21
S16	24	"6511481"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 12:19
S17	2	"6890333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 12:19
Sys	1071	606/104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 14:21
Ste	980	S18 and (anchor or screw or pin or fastener or bolt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 14:22
S20	236	S19 and (tool or device or instrument or drill or reamer) and (fracture\$2 or cut or break or broken) and bone and (thigh or hip or femur)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/10 14:23